



P.O. Box 219 • Batavia, Illinois 60510 • 1-800-452-1261 • flinn@flinnsci.com • Visit our website at: www.flinnsci.com

© 2003 Flinn Scientific, Inc. All Rights Reserved.

Case of the Sunken Ice Cube

A Density Demonstration

Publication No. 10235

Introduction:

Explain this interesting phenomenon! Two beakers of clear, colorless liquids are displayed. An ice cube floats on top of the liquid in one beaker. An ice cube sits on the bottom of the other beaker. Why? Let's solve the "Case of the Sunken Ice Cube."

Chemical Concepts:

- Density
- Observations/hypothesis

Materials (for each demonstration):

Ethyl alcohol, 100 mL

Beakers, 250-mL, 2

Water, tap or distilled, 100 mL

Ice cubes, 2

Caution:

This activity requires the use of hazardous components and/or has the potential for hazardous reactions. Please review the Safety Precautions section on the following page and relevant Material Safety Data Sheets before beginning this activity.

Procedure:

1. Prior to class, fill one beaker with approximately 100 mL of water (either tap or distilled) and another beaker with approximately 100 mL of ethyl alcohol. Set the two beakers on the demonstration table.
2. When you are ready to perform the demonstration, hold up two similar-sized ice cubes. Place one ice cube in each beaker.
3. Have students observe the position of the ice cubes in the two beakers.
4. Ask students to propose a hypothesis explaining their observations of the ice cubes in the two beakers of liquid. (*Note: If students ask what liquid is found in each beaker, you may wish not to simply reveal the contents of the beakers. Instead ask students how they would determine the identity of the two liquids.*)

Extensions:

- Have students design a step-by-step procedure for determining the density of water or ethyl alcohol. Then have students perform the step-by-step procedure that they designed to determine the actual densities of each of the two clear, colorless

liquids. They will need to determine the mass of a certain volume of each liquid and then calculate its density, using the equation $\text{density} = \text{mass}/\text{volume}$.

- Since the ice cube floats in water and sinks in ethyl alcohol, have students determine what mixture of the water and alcohol would suspend the ice cube in the middle of the liquid. Try this in lab.
- Have students predict what other materials might float or sink in the water and in the ethyl alcohol. Allow students to try some of the materials to test their predictions.
- Have students suggest other liquids (such as oil or salt water or corn syrup) in which an ice cube might float or sink. Allow them to try this out in lab.
- Allow students to hypothesize why ice floats on water when, in fact, most substances become more dense (molecules move slower and closer together) as they solidify and thus would sink.
- Have students compare the densities of fresh water ($d = 1.00 \text{ g/cm}^3$) and seawater ($d = 1.03 \text{ g/cm}^3$) at 25°C . How does this affect buoyancy? Is it easier to float in a freshwater lake or in the ocean? Explain.

Discussion:

Density is the quantity of matter in a given unit of volume, stated as $\text{density} = \text{mass}/\text{volume}$, generally given in SI units of g/cm^3 . Density is an internal physical property and thus is often used to identify a substance. Water has density of 1.00 g/cm^3 at 25°C , meaning that a mass of 1.00 gram of water occupies a space of 1.00 cubic centimeter. Materials that are less dense than water (or have a density lower than 1.00 g/cm^3) will float in water, while materials that are more dense than water (or have a density greater than 1.00 g/cm^3) will sink. The same is true of any liquid, such as ethyl alcohol with a density of 0.79 g/cm^3 . Materials less dense than ethyl alcohol will float in it, while materials more dense will sink. Therefore as observed in this demonstration, ice with a density of 0.92 g/cm^3 will float in water but will sink in ethyl alcohol.

When water solidifies to form ice, the solid ice phase is less dense (as observed) than the liquid water. This can be attributed to the hydrogen bonding that occurs in water in both the liquid and solid states. *Hydrogen bonding* is the strong intermolecular dipole–dipole force between the partially-positive hydrogen atom and the partially-negative oxygen atom of neighboring water molecules. When water freezes, hydrogen bonding holds molecules rigidly in a three-dimensional crystal. There are holes, or empty spaces, within the ice crystal. As water freezes to form ice, it must expand (rather than contract) to form this open crystal. As a result, the density of ice is less than the density of liquid water, which explains why ice floats in water. This is a very unusual phenomenon. Most substances are more dense in the solid state than in the liquid state because particles are usually closer together in the solid state. Water is the rare and unique exception.

Safety Precautions:

Ethyl alcohol is a flammable liquid; keep away from all flames. Wear chemical splash goggles, chemical-resistant gloves, and a chemical-resistant apron.

Disposal:

Flush the solutions down the drain according to Flinn Suggested Disposal Method #26b. Please consult your *Flinn Chemical & Biological Catalog/Reference Manual* for proper disposal procedures.

References:

Summerlin, L. R.; Borgford, C. L.; Ealy, J. B. *Chemical Demonstrations: A Sourcebook for Teachers*, Vol. 2; American Chemical Society: Washington, DC. 1988; pp 15–16.

Materials for the Case of the Sunken Ice Cube are available from Flinn Scientific, Inc.:

Catalog No.	Description	Price/Each
E0009	Ethyl alcohol, 500 mL	Consult Your Current <i>Flinn Catalog/Reference Manual</i> .